




LANȚURI CU ROLE

Lanțuri simple



Lanțuri simple (Standardul european)														
			b1 (mm min.)	b2 (mm max.)	d1 (mm hg)	d3 (mm max.)	F1 (mm max.)	F2 (mm max.)	h (mm max.)	s1 (mm)	s2 (mm)	f (cmp)	FB (N min.)	q (kg/m)
04	110 161 00	6	2,8	4,1	1,85	4	7,4	10,3	5	0,6	0,6	0,08	3000	0,12
05B-1	110 171 00	8	3	4,77	2,31	5	8,6	11,7	7,1	0,75	0,75	0,11	5000	0,18
06B-1	20 201 000*	9,525	5,72	8,53	3,28	6,35	13,5	16,8	8,2	1,3	1,3	0,28	9000	0,41
08I	110 031 00	12,7	3,3	5,8	3,66	7,75	10,2	11,7	9,9	1	1	0,21	8200	0,28
08A	110 051 00	12,7	4,88	8,8	4,09	7,75	14,8	16,3	11,1	1,95	1,6	0,36	16000	0,59
08B-1	20 261 000	12,7	7,75	11,3	4,45	8,51	17	20,9	11,8	1,6	1,6	0,5	18000	0,7
10B-1	20 331 000	15,88	9,65	13,28	5,08	10,16	19,6	23,7	14,7	1,6	1,6	0,67	22400	0,95
12B-1	20 391 000**	19,05	11,68	15,62	5,72	12,06	22,7	27,3	16,1	1,8	1,8	0,89	29000	1,25
16B-1	20 451 000***	25,4	17,02	25,4	8,28	15,88	36,1	41,5	21	4	3	2,1	60000	2,7
20B-1	21 561 000	31,75	19,56	29,01	10,19	19,05	43,2	49,3	26,4	4,5	3,5	2,96	95000	3,6
24B-1	21 701 000	38,1	25,4	37,9	14,63	25,4	53,4	60	33,4	5,5	5	5,54	160000	6,7
28B-1	21 791 000	44,45	30,99	46,5	15,9	27,94	65,1	72,5	37	7	6	7,39	200000	8,3
32B-1	21 861 000	50,8	30,99	45,5	17,81	29,21	67,4	75,3	42,2	7	6	8,1	250000	10,5
40B-1	21 901 000	63,5	38,1	55,7	22,89	39,37	82,6	93,6	52,9	8	8	12,75	355000	16
48B-1	21 971 000	76,2	45,72	70,5	29,24	48,26	99,1	109,1	63,8	12	10	20,61	560000	25
56B-1	110 921 00	88,9	53,34	81,3	34,32	53,98	114	125	77,8	13	12	27,9	850000	35
64B-1	110 951 00*	101,6	60,96	92	39,4	63,5	130	143	90,1	14	13	36,25	1120000	60
72B-1	110 981 00*	114,3	68,58	103,8	44,5	72,39	147	161	103,6	17	15	46,19	1400000	80

Lanțuri simple (Standardul american)														
Tip lanț	Cod	p (mm)	b1 (mm min.)	b2 (mm max.)	d1 (mm hg)	d3 (mm max.)	F1 (mm max.)	F2 (mm max.)	h (mm max.)	s1/s2 (mm)	f (cmp)	FB (N min.)	q (kg/m)	
08A-1	111 040 10	12,7	7,85	11,15	3,96	7,95	17,8	21,7	12	1,6	0,44	14100	0,6	
10A-1	111 050 10	15,88	9,4	13,8	5,08	10,16	21,8	25,9	15	2	0,7	22200	1	
12A-1	111 060 10	19,05	12,57	17,7	5,94	11,91	26,9	31,5	18	2,4	1,05	31800	1,5	
16A-1	111 080 10	25,4	15,75	22,5	7,92	15,88	33,5	38,9	24,1	3,2	1,78	567020	2,6	
20A-1	111 100 10	31,75	18,9	27,4	9,53	19,05	41,1	47,2	30,1	4,2	2,61	88500	3,7	
24A-1	111 120 10	38,1	25,22	35,3	11,1	22,23	50,8	57,4	36,2	5	3,92	127000	5,5	
28A-1	111 140 10	44,45	25,22	37	12,7	25,4	54,9	62,3	42,2	5,5	4,7	172400	7,5	
32A-1	111 160 10	50,8	31,55	45	14,27	28,58	65,5	73,4	48,2	6,3	6,42	226800	9,7	
40A-1	111 200 10	63,5	37,85	54,7	19,84	39,68	80,3	90,3	60,3	8	10,85	353800	15,8	
48A-1	111 240 10	76,2	47,35	67,5	23,8	47,63	95,5	105,5	72,3	10	16,07	510300	22,6	

București, sector 4

Str. Laloșu nr. 2B

Tel / Fax 021 / 332.34.05, Tel. 0728 / 082.491

office2@selftrust.ro



lași

Str. Morilor nr. 68


Tel 0232 / 406.041, Tel. 0232 / 276.596

vanzari@selftrust.ro



LANȚURI CU ROLE

Lanțuri duble



Lanturi duble (Standartul european)

6	Cod	8	3	4,77	2,31	5	14,3	17,4	7,1	0,75	0,75	5,64	0,2	7800	0,36
05B-2	110 172 00	9,525	5,72	8,53	3,28	6,35	23,8	27,1	8,2	1,3	1,3	10,24	0,56	16900	0,78
06B-2	20 202 000	12,7	7,75	11,3	4,45	8,51	31	34,9	11,8	1,6	1,6	13,92	1,01	32000	1,35
10B-2	20 233 000	15,875	9,65	13,28	5,08	10,16	36,2	40,3	14,7	1,6	1,6	16,59	1,34	44500	1,85
12B-2	20 392 000	19,05	11,68	15,62	5,72	12,06	42,2	46,8	16,1	1,8	1,8	19,46	1,79	57800	2,5
16B-2	20 452 000	25,4	17,02	25,4	8,28	15,88	68	73,4	21	4	3	31,88	4,21	106000	5,4
20B-2	21 562 000	31,75	19,56	29,01	10,19	19,05	79	85,1	26,4	4,5	3,5	36,45	5,91	170000	7,2
24B-2	21 702 000	38,1	25,4	37,9	14,63	25,4	101	107,6	33,4	5,5	5	48,36	11,09	280000	13,5
28B-2	21 792 000	44,45	30,99	46,5	15,9	27,94	124	131,4	37	7	6	59,56	14,79	360000	16,6
32B-2	21 862 000	50,8	30,99	45,5	17,81	29,21	126	133,9	42,2	7	6	58,55	16,21	450000	21
40B-2	21 902 000	63,5	38,1	55,7	22,89	39,37	154	164	52,9	8	8	72,29	25,5	630000	32
48B-2	21 972 000	76,2	45,72	70,5	29,24	48,26	190	200	63,8	12	10	91,21	41,23	1000000	50
56B-2	110 922 00	88,9	53,34	81,3	34,32	53,98	221	232	77,8	13	12	106,6	55,8	1600000	70
64B-2	110 952 00	101,6	60,96	92	39,4	63,5	250	263	90,1	14	13	119,89	72,5	2000000	120
72B-2	110 982 00	114,3	68,58	103,8	44,5	72,39	283	297	103,6	17	15	136,27	92,4	2500000	160

Lanturi duble (Standartul american)

Tip lant	Cod	p (mm)	b1 (mm min.)	b2 (mm max.)	d1 (mm hg)	d3 (mm max.)	F1 (mm max.)	F2 (mm max.)	h (mm max.)	s1/s2 (mm)	e (mm)	f (cmp)	FB (N min.)	q (kg/m)
08A-2	111 040 20	12,7	7,85	11,15	3,96	7,95	32,3	36,2	12	1,6	14,36	0,88	28200	1,2
10A-2	111 050 20	15,875	9,4	13,8	5,08	10,16	39,9	44	15	2	18,11	1,4	44400	1,9
12A-2	111 060 20	19,05	12,57	17,7	5,94	11,91	49,8	54,4	18	2,4	22,78	2,1	63600	2,9
16A-2	111 080 20	25,4	15,75	22,5	7,92	15,88	62,7	68,1	24,1	3,2	29,29	3,56	113400	5
20A-2	111 100 20	31,75	18,9	27,4	9,53	19,05	77	83,1	30,1	4,2	35,76	5,22	177000	7,3
24A-2	111 120 20	38,1	25,22	35,3	11,1	22,23	96,3	102,9	36,2	5	45,44	7,84	254000	10,9
28A-2	111 140 20	44,45	25,22	37	12,7	25,4	103	110,4	42,2	5,5	48,87	9,4	344800	14,4
32A-2	111 160 20	50,8	31,55	45	14,27	28,58	124	131,9	48,2	6,3	58,55	12,8	453600	19,1
40A-2	111 200 20	63,5	37,85	54,7	19,84	39,68	151	161	60,3	8	71,55	21,7	707600	32
48A-2	111 240 20	76,2	47,35	67,5	23,8	47,63	183	193	72,3	10	87,83	32,1	1020600	44

București, sector 4

Str. Laloșu nr. 2B

Tel / Fax 021 / 332.34.05, Tel. 0728 / 082.491

office2@selftrust.ro



lași

Str. Morilor nr. 68


Tel 0232 / 406.041, Tel. 0232 / 276.596

vanzari@selftrust.ro



LANȚURI CU ROLE

Lanțuri triple






Lanțuri triple (Standartul european)															
Tip lant	Cod	p (mm)	b1 (mm min.)	b2 (mm max.)	d1 (mm hg)	d3 (mm max.)	F1 (mm max.)	F2 (mm max.)	h (mm max.)	s1 (mm)	s2 (mm)	e (mm)	f (cmp)	FB (N min.)	q (kg/m)
06B-3	20 203 000	9,525	5,72	8,53	3,28	6,35	34	37,3	8,2	1,3	1,3	10,24	0,84	24900	1,2
08B-3	20 263 000	12,7	7,75	11,3	4,45	8,51	44,9	48,8	11,8	1,6	1,6	13,92	1,51	47500	2
10B-3	20 333 000	15,875	9,65	13,28	5,08	10,16	52,6	56,9	14,7	1,6	1,6	16,59	2,02	66700	2,8
12B-3	20 393 000	19,05	11,68	15,62	5,72	12,06	61,7	66,3	16,1	1,8	1,8	19,46	2,68	86700	3,8
16B-3	20 453 000	25,4	17,02	25,4	8,28	15,88	99,9	105,3	21	4	3	31,88	6,31	160000	8
20B-3	21 563 000	31,75	19,56	29,01	10,19	19,05	116	122,1	26,4	4,5	3,5	36,45	8,87	250000	11
24B-3	21 703 000	38,1	25,4	37,9	14,63	25,4	150	156,6	33,4	5,5	5	48,36	16,63	425000	21
28B-3	21 793 000	44,45	30,99	48,5	15,9	27,94	184	191,4	37	7	6	59,56	22,18	530000	25
32B-3	21 863 000	50,8	30,99	45,5	17,81	29,21	184	191,9	42,2	7	6	58,55	24,31	670000	32
40B-3	21 903 000	63,5	38,1	55,7	22,89	39,37	227	237	52,9	8	8	72,29	38,25	950000	48
48B-3	21 973 000	75,2	45,72	70,5	29,24	48,26	281	291	63,8	12	10	91,21	61,84	1500000	75
56B-3	110 923 00	88,9	53,34	81,3	34,32	53,98	330	341	77,8	13	12	106,6	83,71	2240000	105
64B-3	110 953 00	101,6	60,96	92	39,4	63,5	370	383	90,1	14	13	119,89	108,74	3000000	180
72B-3	110 983 00	114,3	68,58	103,8	44,5	72,39	420	434	103,6	17	15	136,27	138,57	3750000	240

Lanțuri triple (Standartul american)															
Tip lant	Cod	p (mm)	b1 (mm min.)	b2 (mm max.)	d1 (mm hg)	d3 (mm max.)	F1 (mm max.)	F2 (mm max.)	h (mm max.)	s1/s2 (mm)	e (mm)	f (cmp)	FB (N min.)	q (kg/m)	
08A-3	111 040 30	12,7	7,85	11,15	3,96	7,95	46,7	50,6	12	1,6	14,38	1,32	42300	1,8	
10A-3	111 050 30	15,875	9,4	13,8	5,08	10,16	57,9	62	15	2	18,11	2,1	66600	2,9	
12A-3	111 060 30	19,05	12,57	17,7	5,94	11,91	72,6	77,2	18	2,4	22,78	3,15	95400	4,3	
16A-3	111 080 30	25,4	15,75	22,5	7,92	15,88	91,7	97,1	24,1	3,2	29,29	5,35	170100	7,5	
20A-3	111 100 30	31,75	18,9	27,4	9,53	19,05	113	119,1	30,1	4,2	35,76	7,83	265500	11	
24A-3	111 120 30	38,1	25,22	35,3	11,1	22,23	141	147,6	36,2	5	45,44	11,76	381000	16,5	
28A-3	111 140 30	44,45	25,22	37	12,7	25,4	152	159,4	42,2	5,5	48,87	14,1	517200	21,7	
32A-3	111 160 30	50,8	31,55	45	14,27	28,58	182	189,9	48,2	6,3	58,55	19,26	680400	28,3	
40A-3	111 200 30	63,5	37,85	54,7	19,84	39,68	223	233	60,3	8	71,55	32,56	1061400	48	
48A-3	111 240 30	76,2	47,35	67,5	23,8	47,63	271	281	72,3	10	87,83	48,2	1530900	66	



Pinoane pentru lanturi simple



Pinoane pentru lanturi simple

ISO	p (mm)	Cod	z	Mat.	Do (mm)	Da (mm)	Dk (mm)	ze (mm)	Bk (mm)	Bg (mm)*	Dn (mm)	Ln (mm)	q
05B-1	8	89 175 017	17	**	43,54	46	34	2,7	8	20	34	16	0,13
		89 175 019	19		48,6	51	39		8	25	39	16	0,16
		89 175 038	38		96,88	100	87		10	35	60	25	0,7
		89 175 057	57		145,22	148	136		10	35	60	25	1
		89 175 076	76		193,59	197	184		10	35	60	25	1,5
06B-1	9,525	89 201 011	11	**	33,81	36	21	5,2	10	15	21	22	0,1
		89 201 012	12		36,8	39	24		10	15	24	22	0,11
		89 201 013	13		39,8	42	28		10	15	28	24	0,12
		89 201 014	14		42,81	45	31		10	18	31	24	0,15
		89 201 015	15		45,81	48	34		10	20	34	24	0,18
		89 201 016	16		48,82	52	37		10	22	37	24	0,24
		89 201 017	17		51,84	55	40		10	25	40	28	0,29
		89 201 018	18		54,85	58	43		10	28	43	28	0,34
		89 201 019	19		57,87	61	46		10	30	46	28	0,38
		89 201 020	20		60,89	64	49		10	32	49	28	0,43
		89 201 021	21		63,91	67	52		10	32	52	28	0,47
		89 201 022	22		66,93	70	55		10	34	55	28	0,53
		89 201 023	23		69,95	73	58		10	35	58	28	0,59
		89 201 024	24		72,97	76	61		10	38	61	28	0,65
		89 201 025	25		76	79	64		10	40	64	28	0,72
		89 201 026	26		79,02	82	67		10	45	67	28	0,78
		89 201 030	30		91,12	94	80		10	50	80	28	1,1
		89 201 038	38	***	115,34	119	104		20	40	70	32	1
		89 201 057	57		172,91	176	162		20	40	70	32	1,4
		89 201 076	76		230,49	234	219		20	40	70	32	2,3
		89 201 095	95		288,08	292	277		20	45	80	38	3,2
		89 201 114	114		345,68	349	335		20	45	80	38	3,9
		89 201 150	150	**	454,82	458	444		25	50	90	45	8
081-1	12,7	89 300 012	12	**	49,07	53	36	2,8	8	20	36	19	0,16
		89 300 015	15		61,08	65	47		8	30	47	19	0,25
		89 300 019	19		77,16	82	65		8	40	65	19	0,51
		89 300 038	38		153,79	159	141		15	40	55	21	0,85
		89 300 048	48		194,18	199	182		15	40	55	21	1,35
		89 300 054	54		218,42	223	206		15	40	55	21	1,6
		89 300 060	60		242,66	248	230		15	40	55	21	1,8
08B-1	12,7	89 261 011	11		45,08	48	29	7,1	10	15	29	22	0,17
		89 261 012	12		49,07	52	33		10	20	33	22	0,2
		89 261 013	13		53,07	56	37		15	20	37	24	0,22
		89 261 014	14		57,07	60	41		15	23	41	24	0,26
		89 261 015	15		61,08	64	45		15	25	45	24	0,3
		89 261 016	16		65,1	69	49		15	28	49	24	0,37
		89 261 017	17		69,12	73	53		15	32	53	24	0,45
		89 261 018	18		73,14	77	57		15	35	57	28	0,58
		89 261 019	19		77,16	81	61		15	40	60	28	0,7
		89 261 020	20		81,18	85	66		15	40	60	28	0,76
		89 261 021	21		85,21	89	70		15	40	60	28	0,83
		89 261 022	22		89,24	93	74		15	40	60	28	0,85
		89 261 023	23		93,27	97	78		15	40	60	28	0,88
		89 261 024	24		97,3	101	82		15	40	60	28	0,91
		89 261 025	25		101,33	105	86		15	40	60	28	0,94
		89 261 026	26		105,36	109	90		15	40	60	28	1
		89 261 027	27		109,4	113	94		15	40	60	28	1
		89 261 030	30		121,5	126	106		15	40	60	28	1,1
		89 261 038	38	***	153,79	158	139		25	50	90	38	2,15
		89 261 045	45		182,06	186	167		25	50	90	38	2,3
		89 261 057	57		230,54	235	216		25	50	90	38	3,15
		89 261 076	76		307,32	312	292		25	50	90	38	3,9
		89 261 095	95		384,11	389	369		25	50	90	45	5,4
		89 261 114	114		460,91	465	446		25	50	90	45	6,6

Bucureşti, sector 4

Str. Laloşu nr. 2B

Tel / Fax 021 / 332.34.05, Tel. 0728 / 082.491

office2@selftrust.ro

lași

Str. Morilor nr. 68

Tel 0232 / 406.041, Tel. 0232 / 276.596

vanzari@selftrust.ro



Pinioane pentru lanțuri simple

Pinioane pentru lanțuri simple												
ISO	p (mm)	Cod	z	Mat.	Do (mm)	Da (mm)	Dk (mm)	ze (mm)	Bk (mm)	Bg (mm)*	Dn (mm)	Ln (mm)
10B-1	15,875	89 331 011	11	**	56,34	60	40	8,9	15	25	40	28
		89 331 012	12		61,34	65	45		15	30	45	28
		89 331 013	13		66,34	71	50		15	30	50	28
		89 331 014	14		71,34	76	55		15	35	55	28
		89 331 015	15		76,36	81	60		15	40	60	28
		89 331 016	16		81,37	86	65		15	42	65	28
		89 331 017	17		86,39	91	70		15	45	70	28
		89 331 018	18		91,42	96	75		15	45	70	28
		89 331 019	19		96,45	101	80		15	45	70	33
		89 331 020	20		101,48	106	85		15	45	70	33
		89 331 021	21		106,51	112	90		15	45	70	33
		89 331 022	22		111,55	117	95		15	45	70	33
		89 331 023	23		116,58	122	100		15	45	70	33
		89 331 024	24		121,62	127	105		15	45	70	33
		89 331 025	25		126,66	132	110		15	45	70	33
		89 331 026	26		131,7	137	115		15	45	70	33
		89 331 027	27		136,74	142	120		15	45	70	33
		89 331 030	30		151,87	157	135		15	45	70	33
		89 331 038	38	***	192,24	198	176		25	55	95	48
		89 331 045	45		227,58	223	211		25	55	95	48
		89 331 057	57		288,18	294	270		25	55	95	48
		89 331 076	76		384,15	390	367		25	55	95	48
		89 331 095	95		480,14	486	463		25	55	95	53
		89 331 114	114		576,13	582	559		25	55	95	60
12B-1	19,05	89 391 011	11	**	67,61	72	47	10,8	15	30	47	30
		89 391 012	12		73,6	79	53		15	40	53	30
		89 391 013	13		79,6	85	59		15	40	59	32
		89 391 014	14		85,61	91	65		15	42	65	32
		89 391 015	15		91,62	97	71		15	45	65	32
		89 391 016	16		97,65	103	77		15	48	77	32
		89 391 017	17		103,67	109	83		20	48	77	32
		89 391 018	18		109,71	115	89		20	55	85	38
		89 391 019	19		115,18	122	95		20	55	85	38
		89 391 020	20		121,78	128	101		20	55	85	38
		89 391 021	21		127,82	134	107		20	55	85	38
		89 391 022	22		133,86	140	113		20	55	85	38
		89 391 023	23		139,9	146	119		20	55	85	38
		89 391 024	24		145,95	152	125		20	55	85	38
		89 391 025	25		151,99	158	130		20	55	85	38
		89 391 026	26		158,04	164	137		20	55	85	38
		89 391 027	27		164,09	170	143		20	55	85	38
		89 391 030	30	***	182,25	189	162		25	55	90	57
		89 391 038	38		230,69	237	210		25	60	100	57
		89 391 045	45		273,09	280	252		25	60	100	57
		89 391 057	57		345,81	353	325		30	60	100	57
		89 391 076	76		460,98	468	440		30	60	100	57
		89 391 095	95		576,17	583	555		30	60	100	60
		89 391 114	114		691,36	699	670		30	60	100	65
16B-1	25,4	89 451 011	11	**	90,16	96	65	15,9	20	40	65	40
		89 451 012	12		98,14	105	73		20	45	73	40
		89 451 013	13		106,14	113	81		20	50	81	40
		89 451 014	14		114,15	121	89		20	55	89	40
		89 451 015	15		122,17	129	97		20	60	97	40
		89 451 016	16		130,2	138	105		20	65	105	40
		89 451 017	17		138,23	146	113		20	65	105	40
		89 451 018	18		146,27	154	121		20	70	105	40
		89 451 019	19		154,32	162	129		20	70	105	40
		89 451 020	20		162,37	170	137		25	70	115	50
		89 451 021	21		170,42	179	145		25	70	115	50
		89 451 022	22		178,48	187	145		25	70	115	50
		89 451 023	23		186,54	195	161		25	70	115	50
		89 451 024	24		194,6	203	161		25	70	115	50
		89 451 025	25		202,66	211	177		25	70	115	50
		89 451 026	26		210,72	219	177		25	70	115	50
		89 451 027	27		218,79	227	177		25	70	115	50
		89 451 030	30	***	243	252	218		30	75	120	50
		89 451 038	38		307,58	317	282		30	75	120	65
		89 451 045	45		364,12	373	339		30	80	130	65
		89 451 057	57		461,08	470	436		40	85	140	75
		89 451 076	76		614,64	624	589		40	90	150	75

www.selftrust.ro

București, sector 4

Str. Laloșu nr. 2B

Tel / Fax 021 / 332.34.05, Tel. 0728 / 082.491

office2@selftrust.ro




lași
Str. Morilor nr. 68
Tel 0232 / 406.041, Tel. 0232 / 276.596
vanzari@selftrust.ro

Pinioane pentru lanțuri simple

Pinioane pentru lanțuri simple													
ISO	p (mm)	Cod	z	Mat.	Do (mm)	Da (mm)	Dk (mm)	ze (mm)	Bk (mm)	Bg (mm)*	Dn (mm)	Ln (mm)	q
20B-1	31,75	89 561 013	13	**	132,67	142	103	18,2	30	65	100	50	3,4
		89 561 015	15		152,71	163	123		30	65	100	50	4
		89 561 017	17		172,79	183	143		30	75	120	60	6,35
		89 561 019	19		192,9	203	163		30	75	120	60	7,2
		89 561 021	21		213,03	224	183		30	75	120	60	8,4
		89 561 023	23		233,17	244	203		30	75	120	60	9,05
		89 561 025	25		253,32	264	224		30	75	120	60	10,2
		89 561 038	38	***	384,48	396	355		30	90	160	80	17,5
		89 561 057	57		576,35	589	547		40	90	160	90	26
		89 561 076	76		768,3	781	738		45	95	170	90	33,5
		89 561 095	95		960,28	973	930		45	100	180	100	51,5
24B-1	38,1	89 701 013	13	**	159,2	168	121	23	40	70	120	75	6,9
		89 701 015	15		183,25	192	145		40	70	120	75	7,95
		89 701 017	17		207,35	217	169		40	75	130	75	10,1
		89 701 019	19		231,48	241	194		40	75	130	75	11,4
		89 701 021	21		255,63	266	218		40	75	130	75	13,1
		89 701 023	23		279,8	290	242		40	75	130	75	14,7
		89 701 025	25		303,99	315	266		40	75	130	75	16,6
		89 701 038	38	***	461,38	473	423		45	95	170	100	27
		89 701 057	57		691,63	704	654		50	105	190	100	48
		89 701 076	76		921,96	934	884		60	110	200	100	59,5
		89 701 095	95		1152,33	1165	1114		60	120	210	120	98

Pinioane pentru lanțuri duble



Pinioane pentru lanțuri duble													
ISO	p (mm)	Cod	z	Mat.	Do (mm)	Da (mm)	Dk (mm)	zz (mm)	Bk (mm)	Bg (mm)*	Dn (mm)	Ln (mm)	q
06B-2	9,525	89 202 013	13	**	39,8	42	28	15,4	10	15	28	28	0,13
		89 202 015	15		45,81	48	34		10	20	34	28	0,2
		89 202 017	17		51,84	55	40		10	25	40	28	0,32
		89 202 019	19		57,87	61	46		10	30	46	28	0,4
		89 202 021	21		63,91	67	52		10	32	52	28	0,5
		89 202 023	23		69,95	73	58		10	35	58	28	0,65
		89 202 025	25		76	79	64		20	40	64	28	0,75
		89 202 038	38		115,34	119	104		20	50	90	38	2
		89 202 057	57		172,91	176	162		20	50	90	38	2,6
		89 202 076	76		230,49	234	219		20	50	90	38	3,3
		89 202 095	95	***	288,08	292	277		20	60	95	45	4,7
		89 202 114	114		345,68	349	335		20	60	95	45	5,7
		89 202 150	150		454,82	458	444		25	65	100	50	10,5
08B-2	12,7	89 262 013	13	**	53,07	56	37	21	15	20	37	34	0,33
		89 262 015	15		61,08	64	45		15	25	45	34	0,46
		89 262 017	17		69,12	73	53		15	32	53	34	0,7
		89 262 019	19		77,16	81	61		15	40	61	38	1
		89 262 021	21		85,21	89	70		15	45	70	38	1,25
		89 262 023	23		93,27	97	78		15	50	78	38	1,5
		89 262 025	25		101,33	105	86		15	55	86	38	1,8
		89 262 038	38	***	153,79	158	139		25	60	100	45	3,3
		89 262 057	57		230,54	235	216		25	60	100	50	4,5
		89 262 076	76		307,32	312	292		25	60	100	55	6,1
		89 262 095	95		384,11	389	369		25	60	100	55	7,6
		89 262 114	114		460,91	465	446		25	60	100	60	10,5




Pinoane pentru lanțuri duble

Pinoane pentru lanturi duble													
ISO	p (mm)	Cod	z	Mat.	Do (mm)	Da (mm)	Dk (mm)	zz (mm)	Bk (mm)	Bg (mm)*	Dn (mm)	Ln (mm)	q
10B-2	15,875	89 332 013	13	**	66,34	71	50	25,5	15	30	50	40	0,9
		89 332 015	15		76,36	81	60		15	40	60	40	1,3
		89 332 017	17		86,39	91	70		15	45	70	40	1,71
		89 332 019	19		96,45	101	80		15	50	80	45	2,12
		89 332 021	21		106,51	112	90		15	60	90	45	2,72
		89 332 023	23		116,58	122	100		15	60	100	45	3,32
		89 332 025	25		126,66	132	110		15	65	110	45	3,9
		89 332 038	38	***	192,24	198	176		25	70	115	60	7,85
		89 332 057	57		288,18	294	270		25	80	130	60	10,9
		89 332 076	76		384,15	390	367		25	85	140	65	15,9
		89 332 095	95		480,14	486	463		25	90	150	65	22,2
		89 332 114	114		576,13	582	559		25	100	165	70	28,4
12B-2	19,05	89 392 013	13	**	79,6	85	59	30,3	20	40	59	45	1,15
		89 392 015	15		91,62	97	71		20	45	71	45	1,6
		89 392 017	17		103,67	109	83		20	50	83	50	2,4
		89 392 019	19		115,18	122	95		20	60	95	50	3,05
		89 392 021	21		127,82	134	107		20	65	107	50	3,7
		89 392 023	23		139,9	146	119		20	60	119	50	4,3
		89 392 025	25		151,99	158	130		20	60	130	50	4,95
		89 392 038	38	***	230,69	237	210		30	75	120	60	7,5
		89 392 057	57		345,81	353	325		30	80	130	60	10,7
		89 392 076	76		460,98	468	440		30	85	145	65	17
		89 392 095	95		576,17	583	555		30	100	160	70	23,5
		89 392 114	114		691,36	699	670		45	110	170	70	29
16B-2	25,4	89 452 013	13	**	106,14	113	81	47,8	20	50	81	65	3,1
		89 452 015	15		122,17	129	97		25	60	97	65	4,2
		89 452 017	17		138,23	146	113		25	70	110	75	6,3
		89 452 019	19		154,32	162	129		30	80	129	75	8,3
		89 452 021	21		170,42	179	145		30	95	145	75	10,4
		89 452 023	23		186,54	195	161		30	110	160	75	12,8
		89 452 025	25		202,66	211	177		30	115	175	75	15,3
		89 452 038	38	***	307,58	317	282		40	90	165	75	17,5
		89 452 057	57		461,08	470	436		45	95	170	90	31,5
		89 452 076	76		614,64	624	589		50	10	180	95	36
		89 452 095	95		768,22	778	740		50	110	190	110	51
		89 452 114	114		921,81	931	897		50	115	200	115	81
20B-2	31,75	89 562 013	13	**	132,67	142	103	54,6	30	65	100	75	7,2
		89 562 015	15		152,71	163	123		30	75	120	75	10,2
		89 562 017	17		172,79	183	143		30	90	140	75	11,4
		89 562 019	19		192,9	203	163		30	90	140	75	14,2
		89 562 021	21		213,03	224	183		30	90	140	75	16,7
		89 562 023	23		233,17	244	203		30	90	140	75	19,2
		89 562 025	25		253,32	264	224		30	90	140	75	23,2
		89 562 038	38	***	384,48	396	355		40	95	170	100	37
		89 562 057	57		576,35	589	547		40	95	170	110	58
		89 562 076	76		768,3	781	738		50	100	180	110	98
		89 562 095	95		960,28	973	930		50	115	200	130	135



Pinioane pentru lanțuri triple



Pinioane pentru lanțuri triple													
6	p (mm)	Cod	z	Mat.	Do (mm)	Da (mm)	Dk (mm)	zd (mm)	Bk (mm)	Bg (mm)*	Dn (mm)	Ln (mm)	q
06B-3	9.525	89 203 013	13	**	39.8	42	28	25.7	10	15	28	38	0.2
		89 203 015	15		45.81	48	34		10	20	34	38	0.3
		89 203 017	17		51.84	55	40		10	25	40	38	0.45
		89 203 019	19		57.87	61	46		10	30	46	38	0.55
		89 203 021	21		63.91	67	52		15	32	52	38	0.7
		89 203 023	23		69.95	73	58		15	35	58	38	0.85
		89 203 025	25		76	79	64		15	40	64	38	1.05
		89 203 038	38	***	115.34	119	104		25	55	95	57	3
		89 203 057	57		172.91	176	162		25	55	95	57	3.8
		89 203 076	76		230.49	234	219		25	65	110	57	6.7
		89 203 095	95		288.08	292	277		25	65	110	57	7.3
		89 203 114	114		345.68	349	335		25	70	115	57	10.6
		89 203 150	150		454.82	458	444		30	75	125	64	15.8
08B-3	12.7	89 263 013	13	**	53.07	56	37	34.9	15	20	37	50	0.5
		89 263 015	15		61.08	64	45		15	25	45	50	0.7
		89 263 017	17		69.12	73	53		15	32	53	50	0.96
		89 263 019	19		77.16	81	61		15	40	61	55	1.4
		89 263 021	21		85.21	89	70		15	45	70	55	1.8
		89 263 023	23		93.27	97	78		15	50	78	55	2.2
		89 263 025	25		101.33	105	86		15	55	86	55	2.6
		89 263 038	38	***	153.79	158	139		25	75	120	50	5.1
		89 263 057	57		230.54	235	216		25	90	145	55	8.5
		89 263 076	76		307.32	312	292		25	90	145	60	11.3
		89 263 095	95		384.11	389	369		25	90	145	60	12.7
		89 263 114	114		460.91	465	446		25	90	145	65	16.4
10B-3	15.875	89 333 013	13	**	66.34	71	50	42.1	15	30	50	55	1.2
		89 333 015	15		76.36	81	60		15	40	60	55	1.8
		89 333 017	17		86.39	91	70		15	45	70	55	2.4
		89 333 019	19		96.45	101	80		20	50	80	60	3
		89 333 021	21		106.51	112	90		20	60	90	60	3.7
		89 333 023	23		116.58	122	100		20	60	100	60	4.4
		89 333 025	25		126.66	132	110		20	65	110	60	5.2
		89 333 038	38	***	192.24	198	176		25	80	130	70	10.6
		89 333 057	57		288.18	294	270		25	85	140	70	14.5
		89 333 076	76		384.15	390	367		30	90	150	75	19.5
		89 333 095	95		480.14	486	463		30	95	155	75	27.5
		89 333 114	114		576.13	582	559		30	110	170	80	35.2

București, sector 4

Str. Laloșu nr. 2B

Tel / Fax 021 / 332.34.05, Tel. 0728 / 082.491

office2@selftrust.ro



lași

Str. Morilor nr. 68

Tel 0232 / 406.041, Tel. 0232 / 276.596

vanzari@selftrust.ro

Pinioane pentru lanțuri triple

Pinioane pentru lanturi triple														
6	p (mm)	Cod	z	Mat.	D _o (mm)	D _a (mm)	D _k (mm)	zd (mm)	B _k (mm)	B _g (mm)*	D _n (mm)	L _n (mm)	q	
12B-3	19.05	89 393 013	13	**	79.6	85	59	49.7	20	40	59	65	1.65	
		89 393 015	15		91.62	97	71		20	45	71	65	2.26	
		89 393 017	17		103.67	109	83		20	50	80	65	3.15	
		89 393 019	19		115.18	122	95		25	60	95	65	4	
		89 393 021	21		127.82	134	107		25	65	107	65	4.9	
		89 393 023	23		139.9	146	119		25	75	119	65	6.2	
		89 393 025	25		151.99	158	130		25	80	130	65	7.4	
		89 393 038	38	***	230.69	237	210		30	80	140	75	11.9	
		89 393 057	57		345.81	353	325		30	90	150	75	16.5	
		89 393 076	76		460.98	468	440		40	100	165	75	24	
		89 393 095	95		576.17	583	555		40	100	170	80	33	
		89 393 114	114		691.36	699	670		50	110	180	90	42.5	
16B-3	25.4	89 453 013	13	**	106.14	113	81	79.7	25	50	-	79.7	3.9	
		89 453 015	15		122.17	129	97		25	60	-	79.7	5.45	
		89 453 017	17		138.23	146	113		25	70	-	79.7	7.3	
		89 453 019	19		154.32	162	129		40	80	-	79.7	8.9	
		89 453 021	21		170.42	179	145		40	95	-	79.7	11.3	
		89 453 023	23		186.54	195	161		40	110	-	79.7	13.9	
		89 453 025	25		202.66	211	177		40	115	-	79.7	16.7	
		89 453 038	38	***	307.58	317	282		40	100	180	100	27.5	
		89 453 057	57		461.08	470	436		50	110	190	100	37.5	
		89 453 076	76		614.64	624	589		60	115	200	115	52.5	
		89 453 095	95		768.22	778	740		60	120	215	115	66	
		89 453 114	114		921.81	931	897		60	125	230	130	89.5	
20B-3	31.75	89 563 013	13	**	132.67	142	103	91	30	65	-	91	9.7	
		89 563 015	15		152.71	163	123		30	75	-	91	13.5	
		89 563 017	17		172.79	183	143		30	90	-	91	15.5	
		89 563 019	19		192.9	203	163		40	90	-	91	19.5	
		89 563 021	21		213.03	224	183		40	90	-	91	28.5	
		89 563 023	23		233.17	244	203		40	100	-	91	32.5	
		89 563 025	25		253.32	264	224		40	100	-	91	37	
		89 563 038	38	***	384.48	396	355		50	100	180	140	49	
		89 563 057	57		576.35	589	547		50	105	190	140	82	
		89 563 076	76		768.3	781	738		60	110	200	150	138	
		89 563 095	95		960.28	973	930		60	115	210	160	188	

